

Carrot or Stick? How we got User buy in for Mac Management at the University of Oxford

European Macintosh System Administrators Meeting, Göteborg 18.09.2013

Orchard



Carrot or Stick? How we got User buy in for Mac Management at the University of Oxford

Marko Jung

Team Leader Mac Engineering marko.jung@it.ox.ac.uk



()rchard



Acknowledgements

Aaron Wilson Adrian Parks Alan Williamson Christopher Beard Guido Klingbeil James Partridge Jon Hutchings Lance Oliver Marcus Saunders Peter Miklitz Robin Miller Wylie Horn







OXFORD

> Oxford was the first University in the English-speaking world. Our aim is to remain at the forefront of centres of learning, teaching and research.





In 2010–11, total University income was £919.6 million. Total University expenditure in 2010–11 was £908.2 million.





> Oxford consistently has the highest research income from external sponsors



The University, including the colleges and Oxford University Press, is the £750 million annually into the regional economy.





largest employer in Oxford, supporting more than 18,000 jobs and injecting



and 9,327 postgraduates.

> 42% of Oxford students are citizens of 143 foreign countries.





There are over 21,000 students at Oxford, including 11,723 undergraduates



> Oxford's research activity involves more than 70 departments, the colleges, over 1,600 academic staff, more than 3,500 research and research support staff, and over 4,600 graduate research students.








- More than 70 departments.
 38 colleges and 6 permanent private halls.
- > 290 buildings totaling some 530,000 m².





te halls. 00 m².

City spanning campus network. Daily backbone traffic more than 55 TB. More 43,500 accounts and over 51,959 user Kerberos principals. Weekly backup volume 65.9 million files or 88.3 TB, totalling 1.6 PB







IT Services provides services from the centre Local IT support staff in every department or college In total over 660 registered IT support staff







Know Your Enemy







End Users: Students, Researchers, and Administrative Staff







CEO, CIO, and other Senior Management




Local IT Support Staff and IT Managers



"Focus on the user and all else will follow"

http://www.google.com/about/company/philosophy/



There are only 10 types of Admins ;)







Which kind are you?




Do you grant your users administrative permissions?




res that you type your	
ur Name	1
••••••	ו

User Experience Management









Functionality



Out of the Box Experience









Light Touch





Light Touch











Mac App Store Product Usage Rules

- Except as otherwise set forth herein,
- (i) If you are an *individual acting in your personal capacity*, you may download and use an application from the Mac App Store ("Mac App Store Product") for *personal, non-commercial use* on any Apple-branded products running Mac OS X ("Mac Computer") *that you own or control.*
- (ii) If you are a *commercial enterprise or educational institution*, you may download a Mac App Store Product for use by either
- (a) a single individual on each of the Mac Computer(s) used by that individual that you own or control or
- (b) multiple individuals on a single shared Mac Computer that you own or control. [...]



Source: http://www.apple.com/legal/internet-services/itunes/us/terms.html

Mac App Store

- "Why can't I download my personal Apps?"
 - Educate your users
 - Explain your end-users these rules and license terms
- *"Why can't I open this file?"*
 - Preinstall viewers for the most common data formats
- "Why can't I use tool foo it is way better than bar?"
 - One tool for each purpose agreed with user representatives
 - There is always ~/Applications for the majority of Apps



Collect requests and define a threshold for deployment of new core software







Applications




/Users/sol






/Applications












2		Q
Adium INSTALL /	Adobe Acrobat XI Pro	Categories Featured Communications and Web Design and Media Licensed Software Office and Productivity
Adobe Photoshop Elements 9 INSTALL <i>i</i>	Alfred INSTALL 7	Scientific Support System Administration Updates
ChemBioDraw Ultra	Citrix ICA Client	Utilities
CoRD	doubleTwist	
Endnote X4 INSTALL	Endnote X6	



Self Service mmpjssinsms.ox.ac.uk			
Getting Started	Scientific		
Help Request support from NSMS	100	ChemBioDraw Ultra	EN
Knowledge Base Frequently asked questions			
Latest Updates The MMP Software Updates blo	T	MacTeX 2011	T
	X	Oxygen INSTALL 1	
	0	StatPlus	
	000	INSTALL 7	








Self Service mmpjss:nsms.ox.ac.uk		
Control Control	<section-header><section-header><image/><image/><image/><text><text><text></text></text></text></section-header></section-header>	











Dealing with Updates

- Define your update cycle
- Facilitate auto-update features
- Suppress update notifications
 - MCX
 - Configuration Profiles
 - Vendor specific (proprietary) settings file
- Remind your suppliers about its importance
- Ensure this gets part of every procurement decision






An update for Aphony[®] Rash[®] Player

- Critical security exploits
- Update popups appear when you lo
- Now uses 35% more battery on Yoι
- Bug fixes and security enhancemen



Even more Self Service





Q
Categories
Featured Communications and Web Design and Media Licensed Software Office and Productivity Scientific Support System Administration Updates Utilities



Even more Self Service

Self Service mmpjss.nsms.ox.ac.uk		
Getting Started	Support	
Help Request support from NSMS	Java Web Plu Master Switc	gin h
Frequently asked questions Latest Updates The MMP Software Updates blo	Reinstall NSN Printers REINSTALL	
	Spotlight Ind RUN 2	ex
	Wacom Table Drivers Unsta Wacom	





OS X Mavericks




"Only wimps use tape backup"







UNIVERSITY OF










é





Backup Status info

HFS Info: Backup Last Succeeded	HFS Info: Backup Latest Status	HFS Info: Client Version	HFS Info: Scheduler Last Check In	HFS Info: Scheduler Status	HFS:
Successfully (09-09-2013 23:18:21)	Successfully (09-09-2013 23:18:21)	6.4.0.5	16-09-2013 09:34:01	OK - PID 69	mmp-
Successfully (16-09-2013 23:48:36)	Successfully (16-09-2013 23:48:36)	6.4.0.5	17-09-2013 11:48:38	OK - PID 17582	bsgag
Successfully (16–09–2013 19:49:22)	Successfully (16-09-2013 19:49:22)	6.4.0.5	17-09-2013 07:49:24	OK - PID 2759	mmp-
Successfully (09–09–2013 18:45:58)	Successfully (09-09-2013 18:45:58)	6.4.0.5	16-09-2013 07:21:18	OK - PID 108	mmp-
Successfully (16-09-2013 19:07:04)	Successfully (16-09-2013 19:07:04)	6.4.0.5	16-09-2013 19:07:04	OK - PID 90	bsgbal
Successfully (16–09–2013 18:14:49)	Successfully (16-09-2013 18:14:49)	6.4.0.5	16-09-2013 18:14:51	OK - PID 69	mmp-
Successfully (02–09–2013 21:53:02)	Successfully (02-09-2013 21:53:02)	6.4.0.5	16-09-2013 14:51:33	OK - PID 2864	bsgbo
Successfully (16–09–2013 19:18:51)	Successfully (16-09-2013 19:18:51)	6.4.0.5	16-09-2013 19:18:51	OK - PID 107	mmp
Successfully (09–09–2013 22:14:40)	Successfully (09-09-2013 22:14:40)	6.4.0.5	16-09-2013 17:49:42	OK - PID 504	mmp-
Successfully (09–09–2013 22:25:21)	Successfully (09-09-2013 22:25:21)	6.4.0.5	16-09-2013 10:25:27	OK - PID 71	bsgcal
Successfully (09–09–2013 22:35:21)	Successfully (09-09-2013 22:35:21)	6.4.0.5	16-09-2013 12:37:21	OK - PID 65	bsgcas
Successfully (09-09-2013 23:03:22)	Successfully (09-09-2013 23:03:22)	6.4.0.5	16-09-2013 12:03:29	OK - PID 7262	mmp
Successfully (16-09-2013 21:05:41)	Successfully (16-09-2013 21:05:41)	6.3.0.0	16-09-2013 21:05:42	OK - PID 66	mmp-



```
S: Host Name
         #!/bin/bash
         # (c) 2013 University of Oxford IT Services
-achilles-bsg
                source <u>https://github.com/ox-it/mac-scripts</u>
         #
mmp-
gamemnon-
         function check_tsm_pid {
 bsg
           DSMPID=$( launchctl list | \
-agrippa-bsg
              awk '/.*\tcom.ibm.tsm.dsmsched/ { \
              if ( \$1 == "-" ) print "not running"; \
-bsgantonio-
              else print $1; }' )
 bsg
           DSMSTATUS=( expr "$DSMPID" : '[0-9]*' )
mmp-
althazar-bsg
-bsgbanquo-
         check_tsm_pid
 bsg
         if [ $DSMSTATUS -gt 0 ]; then
mmp-
orachio-bsg
              RESULT="OK - PID ${DSMPID}"
         else
p-bsgcaesar-
 bsg
              launchctl unload ...
              launchctl load ...
p-bsgcaliban-
 bsg
              check tsm pid
              if [ $DSMSTATUS -gt 0 ]; then
mmp-
                   RESULT="OK - PID ${DSMPID} (restarted)"
alpurnia-bsg
              else
mmp-
                   RESULT="FAIL - failed restarting"
assandra-bsg
              fi
         fi
np-bsgcinna-
bsg
         echo "<result>${RESULT}</result>"
-claudio-bsg
```



User Experience Summary





















How to satisfy the IT Crowd?

Whole Lifecycle Management










Commissioning











1. Registration




4. Daily Use


3. First Local Boot



Weekly



Weekly Maintenance








Management Server


Weekly Maintenance Request
















				Scripts	Printers	Dock	Accounts	Reboot	Advanced
Display	and Exe	ecution Settings							
		ay Name: Firefo	ox Update Testir vsers	ng	\$				
Exec	Trig	gered By: The	SoftwareUpdate e per computer		\$				

Update policies respond to the SoftwareUpdate action and are also set to run once per computer.








ripts	Printers	Dock	Accounts	Reboot	Advanced
epartme	ents Add Buildi	ngs			

For each software title there is a SmartGroup...



...searching for all hosts with a previous version of the application deployed.



uterGroup Name:	irefox Update Testing		
ation on Change:			
Search Type	Criteria	-	+
outer Information			
is not 💠	Off	•	Ð
is \$	Testing	Θ	Ð
n Information			Ð
vare Information			
has ‡	Firefox.app	•	Ð
is not 💠	10.0.7	\bigcirc	ŧ
ing Information			\oplus

() General	Scope	Self Service	Packages	Scripts	Printers	Dock		counts	Reboot	Advanced
Pa	ckages									
		Package Nam	e		Action	FUT	FEU	Autorun	Remov	e
	Firefox_3.6.1	13.dmg		U	ninstall				Remove	2
	Firefox-ESR_	10.0.7-1.dmg			Install				Remove	2
	Firefox_4.0-	1.dmg		U	ninstall				Remove	2
	Firefox-ESR_	10.0.2-1.0.0.dm	g	U	ninstall				Remove	2
	Firefox-ESR_	10.0.3-1.0.0.dm	g	U	ninstall				Remove	2
	Firefox_7.0.2	2–1.dmg		U	ninstall				Remove	2
	Firefox-ESR_	10.0.6-1.dmg		U	ninstall				Remove	2
	Firefox-ESR_	10.0.5-1.dmg		U	ninstall				Remove	2
Ad	d Package									

The policy initially tries to remove any previous version before the new package is deployed.



Carlinta				Scripts	Printers	Dock	Accounts	Reboot	Advanced	
Scripts										
		Script Name			Priority		R	emove		
notify.rb				After				Remove		
Add Scri	ript	n	otify.rb / \$comput	terName \$userl	Name pkgUpdat	e Firefox rest	art			

Finally our notification system informs the user to restart the application.



Details for nsms-hester



Computer Groups 25 Computer Groups



Licensed Software 3 Licensed Software Titles

			л	L
		,		۱
	7	۰.		
	 ۰.			1

Applications 303 Applications



Unix Applications 0 Unix Applications




Fonts 0 Fonts

Plug-ins 1570 Plug-ins



Certificates 12 Certificates



The computer groups in each host details give a very precise overview of what will be updated during the next update cycle.





Essentials, Plug-ins and Players






















JRE 6 and JRE 7



The Java Browser Plug-in Saga

















64bit Java 7














Computer Name: nsms-hester Asset Tag: Bar Code 1: Bar Code 2: Commissioning: Custom LocalStorage UUID: Commissioning: Custom System Volume Size: Config: Energy Saver Policy: Unenforced \$ HE IT CRAM Config: Fast User Switching: Allowed Config: General MCX Settings Choose Config: Java Web Plugin Access 🗸 Allowed Not Allowed Config: Log Out Users When Idle. _____ • Config: MMPAdmin Password: Config: Release Channel: Unstable \$
















JSS

Java Web Plug-In Current Status: Disabled

be enabled when needed, and disabled otherwise.











IT Staff Experience Summary













IT Staff Experience Summary



Management Compatibility Checklist Public Cloud Infrastructure Bring your own disaster Enterprise Social Networking Cyber Security Gamification /










Carrot and a Stick!?!







https://github.com/ox-it/mac-scripts

marko.jung@it.ox.ac.uk



